


SF-2 边界润滑轴套
SF-2 Marginal Lubricating Bushing



※标准直套标注方式: Standard Bushing Label Mode SF-2

单位unit:mm

型号规格 Designation	轴径 D_i h8	座孔 H7 D_H	外径公差 D_o	压装后 内孔公差 $D_{i,a}$	配合间隙 C_D	壁厚 S_3	油孔 d_L	长度 B ⁰ / _{-0.40}															
								10	15	20	25	30	35	40	45	50	60						
SF-2	10 _{-0.022}	12 ^{+0.018}	12 ^{+0.065} / _{+0.030}	10.108 10.040	0.130 0.040	0.980 0.955	4	1010	1015	1020													
SF-2	12 _{-0.027}	14 ^{+0.018}	14 ^{+0.065} / _{+0.030}	12.108 12.040	0.135 0.040					1210	1215	1220											
SF-2	14 _{-0.027}	16 ^{+0.018}	16 ^{+0.065} / _{+0.030}	14.108 14.040							1415	1420											
SF-2	15 _{-0.027}	17 ^{+0.018}	17 ^{+0.065} / _{+0.030}	15.108 15.040							1515	1520	1525										
SF-2	16 _{-0.027}	18 ^{+0.018}	18 ^{+0.065} / _{+0.030}	16.108 16.040							1615	1620	1625										
SF-2	18 _{-0.027}	20 ^{+0.021}	20 ^{+0.075} / _{+0.035}	18.111 18.040	0.138 0.040			1.475 1.445	6			1815	1820	1825									
SF-2	20 _{-0.033}	23 ^{+0.021}	23 ^{+0.075} / _{+0.035}	20.131 20.050	0.164 0.050					2015	2020	2025	2030										
SF-2	22 _{-0.033}	25 ^{+0.021}	25 ^{+0.075} / _{+0.035}	22.131 22.050							2215		2225										
SF-2	25 _{-0.033}	28 ^{+0.021}	28 ^{+0.075} / _{+0.035}	25.131 25.050							2515	2520	2525	2530									
SF-2	28 _{-0.033}	32 ^{+0.025}	32 ^{+0.085} / _{+0.045}	28.155 28.060		0.188 0.060							2820		2830								
SF-2	30 _{-0.033}	34 ^{+0.025}	34 ^{+0.085} / _{+0.045}	30.155 30.060									3020	3025	3030		3040						
SF-2	35 _{-0.039}	39 ^{+0.025}	39 ^{+0.085} / _{+0.045}	35.155 35.060	0.194 0.060		1.970 1.935				3520		3530	3535	3540								
SF-2	40 _{-0.039}	44 ^{+0.025}	44 ^{+0.085} / _{+0.045}	40.155 40.060									4020		4030		4040				4050		
SF-2	45 _{-0.039}	50 ^{+0.025}	50 ^{+0.085} / _{+0.045}	45.195 45.080	0.234 0.080	2.460 2.415	8			4520		4530		4540	4545	4550							
SF-2	50 _{-0.039}	55 ^{+0.030}	55 ^{+0.100} / _{+0.055}	50.200 50.080				0.239 0.080							5030		5040			5050	5060		
SF-2	55 _{-0.046}	60 ^{+0.030}	60 ^{+0.100} / _{+0.055}	55.200 55.080					0.246 0.080							5530		5540			5550	5560	
SF-2	60 _{-0.046}	65 ^{+0.030}	65 ^{+0.100} / _{+0.055}	60.200 60.080												6030		6040			6050	6060	

SF-2 边界润滑轴套
SF-2 Marginal Lubricating Bushing

单位unit:mm

型号规格 Designation	轴径 D _i h8	座孔 H7 D _H	外径公差 D _o	压装后 内孔公差 D _{i,a}	配合间隙 C _D	壁厚 S ₃	油孔 d _L	长度 B ⁰ _{-0.40}												
								40	50	60	80	90	95	100	110	120				
SF-2	65 ^{-0.046}	70 ^{+0.030}	70 ^{+0.030}	65.200 65.080	0.246 0.080	2.460 2.415	8	6540		6560										
SF-2	70 ^{-0.046}	75 ^{+0.030}	75 ^{+0.030}	70.200 70.080				7040	7050		7080									
SF-2	75 ^{-0.046}	80 ^{+0.030}	80 ^{+0.030}	75.200 75.080				7540		7560	7580									
SF-2	80 ^{-0.046}	85 ^{+0.035}	85 ^{+0.035}	80.265 80.100	0.313 0.100			8040		8060	8080									
SF-2	85 ^{-0.054}	90 ^{+0.035}	90 ^{+0.035}	85.265 85.100				8540		8560	8580									
SF-2	90 ^{-0.054}	95 ^{+0.035}	95 ^{+0.035}	90.265 90.100				9040		9060	9080	9090								
SF-2	100 ^{-0.054}	105 ^{+0.035}	105 ^{+0.035}	100.265 100.100	0.321 0.100				10050		10080		10095							
SF-2	105 ^{-0.054}	110 ^{+0.035}	110 ^{+0.035}	105.265 105.100						10560	10580		10595		105110					
SF-2	110 ^{-0.054}	115 ^{+0.035}	115 ^{+0.035}	110.265 110.110						11060	11080		11095		110110					
SF-2	120 ^{-0.054}	125 ^{+0.040}	125 ^{+0.040}	120.270 120.110	0.324 0.100					12060	12080					120110				
SF-2	125 ^{-0.063}	130 ^{+0.040}	130 ^{+0.040}	125.270 125.110							12560					125110				
SF-2	130 ^{-0.063}	135 ^{+0.040}	135 ^{+0.040}	130.270 130.110						13050	13060	13080				130100				
SF-2	140 ^{-0.063}	145 ^{+0.040}	145 ^{+0.040}	140.270 140.110	0.324 0.100				14050	14060	14080				140100					
SF-2	150 ^{-0.063}	155 ^{+0.040}	155 ^{+0.040}	150.270 150.110						15050	15060	15080			150100					
SF-2	160 ^{-0.063}	165 ^{+0.040}	165 ^{+0.040}	160.270 160.110						16050	16060	16080			160100					
SF-2	170 ^{-0.063}	175 ^{+0.040}	175 ^{+0.040}	170.270 170.110	0.339 0.110				17050		17080				170100					
SF-2	180 ^{-0.063}	185 ^{+0.046}	185 ^{+0.046}	180.270 180.110						18050	18060	18080			180100					
SF-2	190 ^{-0.072}	195 ^{+0.046}	195 ^{+0.046}	190.276 190.110						19050	19060	19080			190100		190120			
SF-2	200 ^{-0.072}	205 ^{+0.046}	205 ^{+0.046}	200.276 200.110	0.339 0.110				20050	20060	20080			200100		200120				
SF-2	220 ^{-0.072}	225 ^{+0.046}	225 ^{+0.046}	220.276 220.110						22050	22060	22080			220100		220120			
SF-2	240 ^{-0.072}	245 ^{+0.046}	245 ^{+0.046}	240.276 240.110						24050	24060	24080			240100		240120			
SF-2	250 ^{-0.072}	255 ^{+0.052}	255 ^{+0.052}	250.282 250.110	0.354 0.110				25050	25060	25080			250100		250120				
SF-2	260 ^{-0.081}	265 ^{+0.052}	265 ^{+0.052}	260.282 260.110						26050	26060	26080			260100		260120			
SF-2	280 ^{-0.081}	285 ^{+0.052}	285 ^{+0.052}	280.282 280.110						28050	28060	28080			280100		280120			
SF-2	300 ^{-0.081}	305 ^{+0.052}	305 ^{+0.052}	300.282 300.110				30050	30060	30080			300100		300120					